

Data Sheet

Han Solo[™] Special Edition FireCuda External Hard Drive A Great Drive at Any Odds



SEAGATE

Get your hands on the ultimate collectible—the officially licensed Han Solo[™] Drive. Designed with the confidence of the infamous smuggler and pilot, this Special Edition FireCuda External Hard Drive flies into your system with white LED lighting out of the box. Plus, you can gather a bounty of games, files, and media thanks to its massive capacity.



Key Features

This external hard drive is inspired by the *Star Wars*[™] galaxy.

This drive's design is equipped with confidence of infamous smuggler, Han Solo™

White LED lighting casts unnerving light over your drive.

Light up the atmosphere with built-in, customizable LED RGB lighting.¹

With up to 2TB of capacity, you can accumulate a galaxy of media, files, and games.

Lightweight design makes it easy to take the whole library on the road.

USB 3.2 Gen 1 bus-powered for simple plug-and-play compatibility and less clutter.

Works with PC, Mac, PlayStation, and Xbox.²

Enjoy peace of mind with our industry leading 1-year warranty and 1-year Rescue Data Recovery Services.

Add new drives to your computer and monitor their health and performance with free DiscWizardTM and SeaToolsTM software.

1 PC required to set RGB color and light pattern using free Seagate Toolkit software. 2 Visit <u>seagate.com/os</u> for details.





Han Solo[™] Special Edition FireCuda External Hard Drive

A Great Drive at Any Odds

EAN Code 8719706043823 Reliability 1 Rescue Data Recovery Services 1 Warranty, Limited (years) 1 Product Dimensions 0.571in/14.5mm Length (in/mm) 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Weight (b/kg) 0.571in/14.5mm Weight (in/mm) 0.571in/14.5mm Height (in/mm) 0.571in/14.5mm Length (in/mm) 0.571in/14.5mm Weight (b/kg) 0.5881b/0.167kg Retail Box Dimensions 0.5881b/0.167kg Length (in/mm) 1.53in/39mm Weight (b/kg) 0.5451in/137.5mm Height (in/mm) 6.521in/188m Weight (b/kg) 0.5552b/0.270kg Master Carton Dimensions 0.5471in/139mm Length (in/mm) 6.221in/158mm Width (in/mm) 6.221in/158mm Width (in/mm) 2.672b/1.212kg Palet Dimensions 2.672b/1.21	Specifications	2TB	
UPC Code 768649175484 Multi-Pack UPC 10763949175481 EAN Code 8719706043823 Patholity 1 Rescue Data Recovery Services 1 Warrany, Limited (years) 1 Product Dimensions 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Weight (b/kg) 0.351in/80mm Height (in/mm) 0.571in/14.5mm Weight (b/kg) 0.3680/0.167kg Retail Eox Dimensions 0.3680/0.167kg Retail Eox Dimensions 1 Length (in/mm) 1.53in/39mm Width (in/mm) 1.53in/39mm Width (in/mm) 7.34in/186.5mm Weight (b/kg) 0.5652b/0.270kg Master Carton Dimensions 0.52in/158mm Length (in/mm) 6.22in/158mm Width (in/mm) 5.47in/139m m Weight (b/kg) 0.2652b/0.270kg Master Carton Dimensions 2.672b/1.212kg Length (in/mm) 4.28in/144mm Weight (b/kg) 2.672b/1.212kg	Region	AMER	
Multi-Pack UPC 10763649175481 EAN Code 8719706043823 Beliabily 1 Rescue Data Recovery Services 1 Warrahy, Linited (years) 1 Product Dimensions 0.571in/14.5mm Length (in/mm) 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Weight (bi/kg) 0.388ib/0.167kg Retail Eox Dimensions 0.388ib/0.167kg Length (in/mm) 4.823in/122.5mm Weight (bi/kg) 0.388ib/0.167kg Retail Eox Dimensions 1 Length (in/mm) 5.41in/137.5mm Weight (bi/kg) 0.5952ib/0.270kg Master Carlon Dimensions 2.22nr/158mm Length (in/mm) 6.22nr/158mm Weight (bi/kg) 0.5952ib/0.270kg Master Carlon Dimensions 2.672bi/1.212kg Length (in/mm) 6.22nr/158mm Weight (bi/kg) 2.672bi/1.212kg Pallet Dimensions 2.672bi/1.212kg Length (in/mm) 40.03in/1017mm Weight (bi/kg) 3.3.77in/258mm Length (in/mm)	Model	STKL2000413	
EAN Code 8719706043823 Reliability 1 Rescue Data Recovery Services 1 Warranty, Limited (years) 1 Poduct Dimensions 1 Length (in/mm) 0.571 in/14.5mm Width (in/mm) 3.15in/80mm Height (in/mm) 0.571 in/14.5mm Width (in/mm) 0.571 in/14.5mm Height (in/mm) 0.571 in/14.5mm Weight (ib/kg) 0.315in/80mm Height (in/mm) 0.571 in/14.5mm Weight (ib/kg) 0.38810/0.67kg Retail Eox Dimensions 1 Length (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (ib/kg) 0.59210/0.270kg Master Carton Dimensions 0.48210/0.270kg Length (in/mm) 6.22in/158mm Width (in/mm) 5.47in/139mm Height (in/mm) 6.22in/158mm Width (in/mm) 6.22in/158mm Weight (ib/kg) 2.62in/12kg Palet Dimensions 1 Length (in/mm) 4.0.03in/1017mm Weig	UPC Code	763649175484	
Reliability I Rescue Data Recovery Services 1 Warrany, Limited (years) 1 Product Dimensions 0.571in/14.5mm Length (in/mm) 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Width (in/mm) 0.571in/14.5mm Weight (lo/kg) 0.5388b/0.156/kg Retail Box Dimensions 0.3088b/0.167/kg Retail Box Dimensions 1.53in/39mm Width (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Weight (lo/kg) 0.5952lb/0.270kg Master Carton Dimensions 0.5952lb/0.270kg Length (in/mm) 6.22in/158mm Width (in/mm) 6.22in/158mm Width (in/mm) 6.22in/158mm Width (in/mm) 2.672lb/1.212kg Palet Dimensions 2.672lb/1.212kg Length (in/mm) 40.03in/1017mm Width (in/mm) 40.03in/1017mm Width (in/mm) 40.03in/1017mm Width (in/mm) 5.981b/271.668kg Shpping Quantities	Multi-Pack UPC	10763649175481	
Rescue Data Recovery Services 1 Warranty, Limited (years) 1 Product Dimensions 0.571in/14.5mm Length (in/mm) 0.571in/14.5mm Width (in/mm) 3.15in/30mm Height (in/mm) 0.482in/122.5mm Weight (b/kg) 0.368b/0.167kg Retail Box Dimensions 1 Length (in/mm) 5.41in/137.5mm Weight (b/kg) 0.558ib/0.270kg Master Carton Dimensions 0.520in/186.5mm Length (in/mm) 6.22in/158mm Weight (b/kg) 0.558ib/0.270kg Master Carton Dimensions 0.52in/198mm Length (in/mm) 6.22in/158mm Weight (b/kg) 2.672b/1.212kg Palet Dimensions 0.572ib/1.212kg Length (in/mm) 40.03in/1017mm Weight (b/kg) 2.672b/1.212kg Palet Dimensions 0.377in/858mm Length (in/mm) 40.03in/1017mm Weight (b/kg) 33.77in/858mm Stepping Ocuantities 33.77in/858mm Weight (b/kg) 598bib/271.668kg Shipping Ocuanti	EAN Code	8719706043823	
Waranty, Limited (years) 1 Product Dimensions 0.571 in/14.5mm Length (in/mm) 0.571 in/14.5mm Width (in/mm) 3.15in/80mm Height (in/mm) 4.823 in/122.5mm Weight (b/kg) 0.0681b/0.167 kg Retail Box Dimensions 0.0681b/0.167 kg Length (in/mm) 1.53in/39mm Width (in/mm) 5.41 in/137.5mm Height (in/mm) 7.34 in/146.5mm Weight (b/kg) 0.59521b/0.270 kg Master Carton Dimensions 0.622 in/158 mm Length (in/mm) 6.22 in/158 mm Width (in/mm) 0.63 in/194 mm Weight (b/kg) 2.672 b/1.21 kg Palet Dimensions 40.03 in/101 mm Length (in/mm) 40.03 in/101 mm Weight (b/kg) 3.77 in/858 mm Weight (b/kg) 589 s/92 h/271.68 kg Shippin	Reliability		
Product Dimensions O.571in/14.5mm Length (in/mm) 0.571in/14.5mm Width (in/mm) 3.15in/80mm Height (in/mm) 4.823in/122.5mm Weight (lb/kg) 0.368lb/0.167kg Retail Box Dimensions 0.368lb/0.167kg Ength (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (in/mm) 5.41in/137.5mm Height (in/mm) 5.42in/135.5mm Weight (b/kg) 0.5952lb/0.270kg Master Carton Dimensions 6.22in/158mm Length (in/mm) 6.22in/158mm Width (in/mm) 5.47in/139mm Weight (b/kg) 2.672lb/1.212kg Palet Dimensions 2.672lb/1.212kg Palet Dimensions 40.03in/1017mm Weight (lb/kg) 2.672lb/1.212kg Palet Dimensions 3.37in/388mm Weight (lb/kg) 3.37in/388mm Weight (lb/kg) 598.9lb/271.668kg Shipping Quantities 3.37in/388mm Boxes per Master Carton 4 Master Cartons per Palet 192	Rescue Data Recovery Services	1	
Length (in/mm) 0.571in/14.5mm Width (in/mm) 3.15in/80mm Height (in/mm) 4.823in/122.5mm Weight (b/kg) 0.368b/0.167kg Retail Box Dimensions 1.53in/39mm Length (in/mm) 1.53in/39mm Weight (b/kg) 0.368b/0.167kg Weight (b/kg) 0.368b/0.167kg Width (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Weight (b/kg) 0.595b/0.270kg Master Catton Dimensions 0.595b/0.270kg Master Catton Dimensions 0.592b/0.270kg Weight (b/kg) 0.592b/0.270kg Master Catton Dimensions 6.22in/158mm Weight (b/kg) 5.47in/139mm Height (in/mm) 6.22in/158mm Weight (b/kg) 2.672b/1.212kg Pallet Dimensions 2.672b/1.212kg Length (in/mm) 40.03in/1017mm Width (in/mm) 3.77in/358mm Weight (b/kg) 59.8.916/271.668kg Shipping Quantities 59.8.916/271.668kg Boxes per Master Carton 4 Master Carton	Warranty, Limited (years)	1	
Width (in/mm) 3.15in/80mm Height (in/mm) 4.823in/122.5mm Weight (b/kg) 0.368lb/0.167kg Retail Box Dimensions 0.368lb/0.167kg Length (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (in/mm) 5.41in/137.5mm Weight (b/kg) 0.5952lb/0.270kg Master Caton Dimensions 0.5952lb/0.270kg Length (in/mm) 6.22in/158mm Width (in/mm) 6.22in/158mm Weight (b/kg) 2.672lb/1.212kg Palled Dimensions 2.672lb/1.212kg Pallet Dimensions 40.03in/1017mm Width (in/mm) 47.55in/1208mm Height (in/mm) 33.77in/658mm Width (in/mm) 33.77in/658mm Weight (b/kg) 598.9lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Product Dimensions		
Height (in/mm) 4.823in/122.5mm Weight (b/kg) 0.368b/0.167kg Retail Box Dimensions 1.53in/39mm Length (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (in/mm) 7.34in/186.5mm Weight (b/kg) 0.5952b/0.270kg Master Carton Dimensions 0.5952b/0.270kg Length (in/mm) 6.22in/158mm Width (in/mm) 6.22in/158mm Weight (b/kg) 2.672b/1.212kg Pallet Dimensions 2.672b/1.212kg Length (in/mm) 4.0.03in/1017mm Weight (b/kg) 3.77in/858mm Pallet Dimensions 40.03in/1017mm Width (in/mm) 40.03in/1017mm Width (in/mm) 40.03in/1017mm Width (in/mm) 40.03in/1017mm Weight (b/kg) 598.9ib/271.668kg Shipping Quantities 598.9ib/271.668kg Boxes per Master Carton 4 Master Cartons per Pallet 192	Length (in/mm)	0.571in/14.5mm	
Weight (Ib/kg) 0.368Ib/0.167kg Retail Box Dimensions 1.53in/39mm Length (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (in/mm) 0.5952Ib/0.270kg Master Carton Dimensions 0.5952Ib/0.270kg Length (in/mm) 6.22in/158mm Weight (Ib/kg) 0.5952Ib/0.270kg Master Carton Dimensions 1.52in/139mm Length (in/mm) 6.22in/158mm Weight (Ib/kg) 2.672Ib/1.21kg Pallet Dimensions 2.672Ib/1.21kg Length (in/mm) 40.03in/104mm Weight (Ib/kg) 2.672Ib/1.21kg Pallet Dimensions 1.55in/1208mm Weight (in/mm) 41.03in/1017mm Width (in/mm) 41.03in/1017mm Weight (Ib/kg) 598.9Ib/271.668kg Shipping Quantities 192	Width (in/mm)	3.15in/80mm	
Retail Box Dimensions Length (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (in/mm) 7.34in/186.5mm Weight (b/kg) 0.59521b/0.270kg Master Carton Dimensions 6.22in/158mm Length (in/mm) 6.22in/158mm Width (in/mm) 5.47in/139mm Weight (b/kg) 2.6721b/1.212kg Pallet Dimensions 2.6721b/1.212kg Pallet Dimensions 40.03in/1017mm Weight (in/mm) 47.55in/1208mm Weight (in/mm) 33.77in/858mm Weight (b/kg) 598.91b/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Height (in/mm)	4.823in/122.5mm	
Length (in/mm) 1.53in/39mm Width (in/mm) 5.41in/137.5mm Height (in/mm) 7.34in/186.5mm Weight (b/kg) 0.59521b/0.270kg Master Catton Dimensions 6.22in/158mm Length (in/mm) 6.22in/158mm Width (in/mm) 5.47in/139mm Width (in/mm) 5.47in/139mm Weight (b/kg) 2.672lb/1.212kg Pallet Dimensions 2.672lb/1.212kg Pallet Dimensions 40.03in/1017mm Width (in/mm) 40.03in/1017mm Width (in/mm) 33.77in/858mm Weight (b/kg) 598.9lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Weight (lb/kg)	0.368lb/0.167kg	
Width (in/mm) 5.41in/137.5mm Height (in/mm) 7.34in/186.5mm Weight (b/kg) 0.0592b/0.270kg Master Carton Dimensions 6.22in/158mm Length (in/mm) 6.22in/158mm Weight (b/kg) 0.547in/139mm Weight (b/kg) 6.22in/158mm Weight (b/kg) 5.47in/139mm Weight (b/kg) 2.672ib/1.212kg Pallet Dimensions 2.672ib/1.212kg Length (in/mm) 40.03in/1017mm Width (in/mm) 47.55in/1208mm Weight (b/kg) 33.77in/858mm Weight (b/kg) 598.9ib/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Retail Box Dimensions		
Height (in/mm) 7.34iin/186.5mm Weight (lb/kg) 0.5952lb/0.270kg Master Carton Dimensions 6.22in/158mm Length (in/mm) 6.22in/158mm Width (in/mm) 5.47in/139mm Height (in/mm) 7.63in/194mm Weight (lb/kg) 2.672lb/1.212kg Pallet Dimensions 1 Length (in/mm) 40.03in/1017mm Width (in/mm) 33.77in/858mm Weight (lb/kg) 598.9lb/271.668kg Shipping Quantities 4 Master Cartons per Pallet 192	Length (in/mm)	1.53in/39mm	
Weight (b/kg) 0.59521b/0.270kg Master Carton Dimensions 6.221n/158mm Length (in/mm) 6.221n/158mm Width (in/mm) 5.471n/139mm Height (in/mm) 5.471n/139mm Height (in/mm) 7.631n/194mm Weight (b/kg) 2.6721b/1.212kg Pallet Dimensions 2.6721b/1.212kg Length (in/mm) 40.031n/1017mm Width (in/mm) 47.551n/1208mm Weight (b/kg) 33.771n/858mm Weight (b/kg) 598.91b/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Width (in/mm)	5.41in/137.5mm	
Master Carton DimensionsLength (in/mm)6.22in/158mmWidth (in/mm)5.47in/139mmHeight (in/mm)7.63in/194mmWeight (lb/kg)2.672lb/1.212kgPallet Dimensions2Length (in/mm)40.03in/1017mmWidth (in/mm)47.55in/1208mmWidth (in/mm)33.77in/858mmWeight (lb/kg)598.9lb/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Height (in/mm)	7.34in/186.5mm	
Length (in/mm) 6.22in/158mm Width (in/mm) 5.47in/139mm Height (in/mm) 7.63in/194mm Weight (lb/kg) 2.672lb/1.212kg Pallet Dimensions 2.672lb/1.212kg Length (in/mm) 40.03in/1017mm Width (in/mm) 40.03in/1017mm Width (in/mm) 33.77in/858mm Height (lb/kg) 598.9lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Weight (lb/kg)	0.5952lb/0.270kg	
Width (in/mm) 5.47in/139mm Height (in/mm) 7.63in/194mm Weight (lb/kg) 2.672lb/1.212kg Pallet Dimensions 40.03in/1017mm Length (in/mm) 40.03in/1017mm Width (in/mm) 33.77in/858mm Weight (lb/kg) 598.9lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Master Carton Dimensions		
Height (in/mm) 7.63in/194mm Weight (lb/kg) 2.672lb/1.212kg Pallet Dimensions 2.672lb/1.212kg Length (in/mm) 40.03in/1017mm Width (in/mm) 47.55in/1208mm Height (in/mm) 33.77in/858mm Weight (lb/kg) 598.9lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Length (in/mm)	6.22in/158mm	
Weight (lb/kg)2.672lb/1.212kgPallet Dimensions40.03in/1017mmLength (in/mm)40.03in/1017mmWidth (in/mm)47.55in/1208mmHeight (in/mm)33.77in/858mmWeight (lb/kg)598.9lb/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Width (in/mm)	5.47in/139mm	
Pallet Dimensions Length (in/mm) 40.03in/1017mm Width (in/mm) 47.55in/1208mm Height (in/mm) 33.77in/858mm Weight (lb/kg) 598.9lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Height (in/mm)	7.63in/194mm	
Length (in/mm)40.03in/1017mmWidth (in/mm)47.55in/1208mmHeight (in/mm)33.77in/858mmWeight (lb/kg)598.9lb/271.668kgShipping Quantities4Boxes per Master Carton4Master Cartons per Pallet192	Weight (lb/kg)	2.672lb/1.212kg	
Width (in/mm)47.55in/1208mmHeight (in/mm)33.77in/858mmWeight (lb/kg)598.9lb/271.668kgShipping Quantities598.9lb/271.668kgBoxes per Master Carton4Master Cartons per Pallet192	Pallet Dimensions		
Height (in/mm) 33.77in/858mm Weight (lb/kg) 598.9lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Length (in/mm)	40.03in/1017mm	
Weight (lb/kg) 598.9lb/271.668kg Shipping Quantities 4 Boxes per Master Carton 4 Master Cartons per Pallet 192	Width (in/mm)	47.55in/1208mm	
Shipping Quantities Boxes per Master Carton Master Cartons per Pallet 192	Height (in/mm)	33.77in/858mm	
Boxes per Master Carton 4 Master Cartons per Pallet 192	Weight (lb/kg)	598.9lb/271.668kg	
Master Cartons per Pallet 192	Shipping Quantities		
	Boxes per Master Carton	4	
Pallet Layers 4	Master Cartons per Pallet	192	
	Pallet Layers	4	

1 Reformatting for Mac may be required.

2 Compatibility may vary depending on user's hardware configuration and operating system.

System Requirements	What's Included

 Compatible with Xbox One, Xbox Series X|S, PS4, and PS5. Compatible with most Windows and macOS systems.Visit <u>www.seagate.com/os</u> for details.^{1,2}

- Han Solo Special Edition FireCuda External Hard Drive
- 18-inch (45.72cm) USB 3.0 cable
- Rescue Data Recovery Services
- Quick Install Guide

seagate.com



© 2022 Seagate Technology LLC. All rights reserved. Seagate, Seagate Technology, and the Spiral logo are registered trademarks of Seagate Technology LLC in the United States and/or other countries. FireCuda and the FireCuda logo are either trademarks or registered trademarks of Seagate Technology LLC or one of its affiliated companies in the United States and/or other countries. All other trademarks or registered trademarks are the property of their respective owners. When referring to drive capacity, one gigabyte, or GB, equals one billion bytes and one terabyte, or TB, equals one trillion bytes. Your computer's operating system may use a different standard of measurement and report a lower capacity. In addition, some of the listed capacity is used for formatting and other functions, and thus will not be available for data storage. Actual data rates may vary depending on operating environment and other factors, such as chosen interface and drive capacity. Seagate reserves the right to change, without notice, product offerings or specifications. DS2116.1-2208 AMER